



विजयनगर गाउँपालिका

गाउँकार्यपालिकाको कार्यालय

खुरुहुरिया, कपिलवस्तु

(लुम्बिनी प्रदेश, नेपाल)



पत्र संख्या:- २०८२/०८३

चलानी नम्बर:-

फोन नं: १६६०७६५२००१

इमेल: bijaynagar.mun@gmail.com

वेबसाइट: www.bijaynagarmun.gov.np

मिति:- २०८२/०८/२९

दररेट पेश गर्ने सम्बन्धी सम्बन्धमा ।

यस विजयनगर गाउँपालिकाले आ ब ०८२।०८३ मा तपसिल बमोजिमको सामाग्री खरिद गर्नु पर्ने भएकोले यस पालिकामा सूचिकृत भएको सप्लायर्स कर्ताहरुले यो सूचना प्रकासन भएको मितिले ७ दिन भित्र फार्म दर्ता नविकरण गरेको प्रमाण पत्र र करचुक्ता प्रमाण पत्र सहित यस गाउँपालिका कार्यालयको शिक्षा, युवा तथा खेलकुद शाखा खुरुहुरिया, कपिलवस्तुमा दररेट सहित प्रस्तावना पेश गर्नुहुन यो सूचना प्रकासन गरिएको छ ।

तपसिल

क्र.स	सामाग्रीको नाम	स्पेशिफिकेशन	इकाई	दररेट		कैफियत
				अंकमा	अक्षरमा	
१	स्यानीटरी प्याड	स्यानीटरी प्याड (वितरण तथा व्यवस्थापन) कार्यविधि, २०७६ को न्युनतम मापदण्ड अनूसूची -१ (दफा ३ को उपदफा (४) संग सम्बन्धित) भए बमोजिम	प्याकेट			

(Signature)
२०८२।०८।२९
हिमलाल विश्वकर्मा
प्रमुख प्रशासकीय अधिकृत

अनुसूची-१
(दफा ३ को उपदफा (४) सँग सम्बन्धित)
स्यानीटरी प्याडको न्यूनतम मापदण्ड

1.	Type and physical finishing: Regular with wing, napkin with uniform thickness throughout without any wrinkles and distortion. The sanitary napkins shall have a soft feel and when worn shall not chafe or give any uncomfortable feeling. They shall be free from all sorts of foreign matter.
2.	Raw Material permitted: a. Absorbent filter: plant-based raw materials such as wood pulp, cellulose pulp, bamboo fiber, banana fiber and corn which have natural sterilization effects, tissue paper, pure cotton, shall be free from lumps, oil spots, dirt or foreign material. b. Covering: The covering of the absorbent filter shall be of a good quality cotton or rayon knitted sleeving, gauze or non-woven fabric with sufficient porosity to permit the assembled pad to meet absorbency requirements.
3.	Size: size including minimum (240±20 mm length and 60 to 75 mm width, thickness 15mm ±2 mm).
4.	Absorbency: the sanitary pad shall absorb at least 30 ml of colored distilled water and it shall not show leakage at the bottom or sides of the sanitary napkin.
5.	Disposability: disposable pad with the covering removed, shall be immersed in 15 liters of water and stirred. The pad shall disintegrate in the water in not more than 5 minutes.
6.	Colour: The product shall be white in colour and shall be almost odourless.
7.	PH value: free from acid and alkali, pH of absorbent material shall be 6-8.5 (tested as per the method given in Indian Standard 1390)
8.	Hygiene testing requirement: Total viable count (total number of bacteria and fungi) shall be not more than 1000 cfu/gm and absence of Staphylococcus aureus. The napkin shall be tested for the presence of staphylococcus aureus in accordance with IS 5887

१२



Handwritten signature

	(Part 2).
9.	The manufacturer shall declare that all ingredients used in the product are safe for human use based on its known toxicological characteristics at intended use.
10	Packaging type: at least 90% Compostable pack, protecting package to product
11	Packaging size: minimum 8 pads per pack
12	Biodegradability or Composability requirements: At least 90% degrade within 6 months (testing is performed and conformed from recognized and approved laboratory)

[Handwritten signature]

